



Type Examination 68740 on Personal Protective Equipment

(Order VN615 121193.3)

Based on the documents submitted and the type examination carried out this is to certify, that the new Personal Protective Equipment (PPE)

fire fighting turnout trousers "FIRE MAX 3"
(article list see reverse side)

manufactured by

Rosenbauer International Aktiengesellschaft
4060-Leonding, Paschinger Str. 90

corresponds corresponds to the requirements of the PPE Regulation (EU) 2016/425 as currently in force and complies with the applicable essential health and safety requirements. The PPE meets as part of a protective clothing, which only protects the lower body and must be combined with an appropriate jacket, requirements for

**Protective clothing for firefighting
and to protect against the thermal hazards of an electric arc**

according EN 469:2005+A1:2006	performance levels Xf2, Xr2, Y2, Z2
EN 1149-5:2008	electrostatic properties
EN 61482-2:2009	class 2

The firefighting protective trousers "FIRE MAX 3" fulfills in a combination with the fire fighter jacket "FIRE MAX 3" (certified with type-examination 68739) the requirements for visibility according EN 469:2005+A1:2006 Pt. 6.14 and Annex B section B.1, B.2 and B.3.

This PPE will be assigned to category III

Technical properties of the PPE are given in the user information. This type examination certificate stays valid until end of July 2022.

Vienna, 10.08.2018

Notified Body 0534
Ing. Judith Pointner

"Certificate" Page 1 of 2 Pages
to Type Examination 68740

Firefighting protective trousers "FIRE MAX 3"

Art. 141201 Nomex Tough (dunkelblau)	Art. 141203 Nomex Tough (gold)
Art. 141205 PBI matrix (goldgelb)	Art. 141241 X55 mit PBI (gold)
Art. 141263 Nomex NXT (schwarzblau)	Art. 141264 Nomex NXT (gold)
Art. 141265 Nomex NXT (rot)	Art. D141241 X55 mit PBI NOR
Art. 141211 Nomex Tough (dunkelblau) Südtirol	